



Plymouth Cemetery Board of Trustees

Regular Meeting Agenda

Monday, July 24, 2026 - 5:00 p.m.
Riverside Cemetery, 680 Plymouth Rd.

Department of Municipal Services
1231 Goldsmith
Plymouth, Michigan 48170

www.plymouthmi.gov
Phone 734-453-7737
Fax 734-455-1666

- 1) CALL TO ORDER
- 2) CITIZEN COMMENTS
This section of the agenda allows up to 3 minutes to present information or raise issues regarding items not on the agenda. Upon arising to address the Board of Trustees, speakers should first identify themselves by clearly stating their name and address. Comments must be limited to the subject of the item.
- 3) APPROVAL OF THE AGENDA
- 4) APPROVAL OF THE MEETING MINUTES
 - a. Approval of July 22, 2026 meeting minutes
- 5) TRUSTEE COMMENTS
- 6) OLD BUSINESS
 - a. Mausoleum project update
- 7) NEW BUSINESS
- 8) REPORTS AND CORRESPONDENCE
- 9) ADJOURNMENT

Meetings of the City of Plymouth are open to all without regard to race, sex, color, age, national origin, religion, height, weight, marital status, disability, or any other trait protected under applicable law. Any individual planning to attend the meeting who has need of special assistance under the Americans with Disabilities Act (ADA) should submit a request to the ADA Coordinator at 734-453-1234 ext. 234 at least two working days in advance of the meeting. The request may also be submitted via mail at 201 S. Main St. Plymouth, MI 48170, or email to clerk@plymouthmi.gov.

City of Plymouth Strategic Plan 2022-2026

GOAL AREA ONE – SUSTAINABLE INFRASTRUCTURE

OBJECTIVES

1. Identify and establish sustainable financial model(s) for major capital projects, Old Village business district, 35th District Court, recreation department, and public safety
2. Incorporate eco-friendly, sustainable practices into city assets, services, and policies; including more environmentally friendly surfaces, reduced impervious surfaces, expanded recycling and composting services, prioritizing native and pollinator-friendly plants, encouraging rain gardens, and growing a mature tree canopy
3. Partner with or become members of additional environmentally aware organizations
4. Increase technology infrastructure into city assets, services, and policies
5. Continue sustainable infrastructure improvement for utilities, facilities, and fleet
6. Address changing vehicular habits, including paid parking system /parking deck replacement plan, electric vehicle (EV) charging stations, and one-way street options

GOAL AREA TWO – STAFF DEVELOPMENT, TRAINING, AND SUCCESSION

OBJECTIVES

1. Create policies and programs that support staff recruitment/retention, including a coordinated recruitment program, flexible scheduling, and an internship program
2. Increase staff levels to appropriately support city services and departments
3. Provide staff/board/volunteer trainings and programming with a focus on improving understanding on issues of diversity, equity, and inclusion and emphasizing working with and serving diverse communities

GOAL AREA THREE – COMMUNITY CONNECTIVITY

OBJECTIVES

1. Engage in partnerships with public, private, and non-profit entities
2. Increase residential/business education programs for active citizen engagement
3. Robust diversity, equity, and inclusion programs
4. Actively participate with multi-governmental lobbies (Michigan Municipal League, Conference of Western Wayne, etc.)

GOAL AREA FOUR – ATTRACTIVE, LIVABLE COMMUNITY

OBJECTIVES

1. Create vibrant commercial districts by seeking appropriate mixed-use development, marketing transitional properties, and implementing Redevelopment Ready Communities (RRC) practices
2. Improve existing and pursue additional recreational and public green space opportunities and facilities for all ages
3. Develop multi-modal transportation plan which prioritizes pedestrian and biker safety
4. Improve link between Hines Park, Old Village, Downtown Plymouth, Plymouth Township, and other regional destinations
5. Maintain safe, well-lit neighborhoods with diverse housing stock that maximizes resident livability and satisfaction
6. Modernize and update zoning ordinance to reflect community vision
7. Implement Kellogg Park master plan



Plymouth Cemetery Board of Trustees

Regular Meeting Minutes

Wednesday, July 22, 2026

Riverside Cemetery, 680 Plymouth Rd.

City of Plymouth
201 S. Main
Plymouth, Michigan 48170

www.plymouthmi.gov
Phone 734-453-1234
Fax 734-455-1892

1. CALL TO ORDER

Chair Hess called the meeting to order at 5:02 p.m.

Present: Chair Don Hess and Trustees Kathy Townsend, Jill Marecki, and Kathleen Hier

Excused: Trustee Pat Grzywacz

Also present: City Comm. Liaison Brock Minton, Department of Municipal Services staff

2. CITIZENS COMMENTS

None.

3. APPROVAL OF THE AGENDA

Hier offered a motion, seconded by Townsend, to approve the agenda for July 22, 2026.

There was a voice vote.

MOTION PASSED 5-0

4. APPROVAL OF THE MEETING MINUTES

Hess offered a motion, seconded by Hier, to approve the minutes of the May 27, 2026 meeting, as amended.

There was a voice vote.

MOTION PASSED 5-0

5. TRUSTEE COMMENTS

The board discussed ongoing issues with grass cutting frequency.

6. OLD BUSINESS

a. Mausoleum project update

Ted Barker, from Shaw Construction, introduced himself and the prep work completed to date. He explained that the project would be phased with phase 1 including repairs and stabilization to the existing structures. He presented the three stone alteration repair options and explained other possible solutions like

flipping stones when the work begins. He explained the concealed fastening system would remain, and the new coping and roof would ensure better water management.

The Board discussed the budget and the approximate time to complete each phase. It was confirmed that the intent was to take care of the necessities and deferred maintenance items first.

The next meeting was tentatively scheduled for Monday, August 24 at 5:00 p.m. and staff agreed to send the plans out via email.

7. NEW BUSINESS

There was no new business.

8. REPORTS AND CORRESPONDENCE

There were no reports or correspondence.

9. ADJOURNMENT

Townsend offered a motion, seconded by Hier, to adjourn the meeting at 5:48 p.m.

There was a voice vote.

MOTION PASSED 5-0

City of Plymouth

Riverside Cemetery

680 Plymouth Road, Plymouth, MI 48170

Columbarium & Mausoleum Improvements (Ph.1)

City of Plymouth
680 Plymouth Road
Plymouth, MI 48170
Contact Name: Adam Gerlach, Assistant Director of
Municipal Services
Contact Phone: (734) 453-7737


ARCHITECT:

EHRESMAN

ARCHITECTS

801 W. Big Beaver Road, Suite 250, Troy MI 48084 | 248.244.9710

ehresmanarchitects.com




LOCATION PLAN

NOT TO SCALE



APPLICABLE CODES:

MICHIGAN BUILDING CODE:	2021 EDITION
FEDERAL ADA LAW:	CURRENT ED.
ACCESSIBLE AND USABLE BUILDINGS & FACILITIES (ANSI A117.1):	2009 EDITION



BUILDING KEY PLAN

NOT TO SCALE



LIST OF DRAWINGS

TTL	TITLE SHEET
A0.00	GENERAL INFORMATION
ARCHITECTURAL DRAWINGS:	
A1.10	SITE REMOVALS PLAN
A1.11	ELEVATION REMOVALS UNITS A & B
A1.12	ELEVATION REMOVALS UNITS C & D
A1.50	ROOF REMOVALS PLAN
A2.10	SITE PLAN
A2.50	ROOF PLAN
A3.10	EXTERIOR ELEVATIONS UNITS A & B
A3.11	EXTERIOR ELEVATIONS UNITS C & D
A3.20	REPRESENTATIVE PHOTOS
A9.00	WALL SECTIONS & DETAILS

Permits: 21 July 2026

Title Sheet

EHRESMAN

ARCHITECTS

ehresmanarchitects.com

City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph.1)

Project No. 1326

TTL

ABBREVIATIONS


C (CONTINUED):			D (CONTINUED):			F (CONTINUED):			H (CONTINUED):			M			P (CONTINUED):			S (CONTINUED):			W					
ABV.	ABOVE	FINISH FLOOR	C.T.	CAST IRON	CATCH BASIN	DR.	DOOR	DOOR OPENING	F.D.	FIRE DAMPER	FIRE DAMPER	HR.	HOOR	HYDRANT	MACH.	MACHINE	PORC.	PORCELAIN	S	SOUTH	WAINS.	WAINSCOT	W.	WALL	WALL CLEANOUT	
A.F.F.	ABOVE	FINISH FLOOR	C.B.	CATCH BASIN	CATCH BASIN	D.O.	DOOR	DOOR OPERATOR	F.E.	FIRE EXTINGUISHER	FIRE EXTINGUISHER CABINET	INCAND.	INCANDESCENT	IN. OR 1"	INCHES	M.A.U.	MAKE-UP AIR UNIT	PORC. ENAM.	PORCELAIN ENAMEL	SP	SPACE	W.C.O.	WALL CLEANOUT			
ACC.	ACCESS	ACCESS PANEL	C.G.	CEILING	CEILING HEIGHT	DR. OP.	DOOR OPENING	DOOR OPERATOR	F.E.C.	FIRE EXTINGUISHER	FIRE EXTINGUISHER CABINET	IN. OR 1"	INCHES	IN. OR 1"	INCHES	M.D.P.	MAIN DISTRIBUTION PANEL	POR.	POROUS	SPKR	SPEAKER	W.H.	WALL HYDRANT			
ACC. PNL.	ACCESS	PANEL	C.G. HT.	CEILING HEIGHT	CEILING HEIGHT	DBL.	DOUBLE	DOUBLE HUNG	F.LSH.	FLOOR	FLOOR CLEANOUT	FLSH.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.V.	WALL VENT				
ACT	ACTUATOR	ACTUATOR	CEM.	CEMENT	CEMENT PLASTER	D.H.	DOUBLE HUNG	DOUBLE HUNG	F.LR.	FLOOR	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.F.	WASH FOUNTAIN				
ADD.	ADDENDUM	ADDENDUM	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	DWL.	DOWN	DOWN	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.	WASTE				
ADON.	ADDITION	ADDITION	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	DN.	DOWN	DOWN	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.C.	WATER CLOSET				
ADJ.	ADJACENT	ADJACENT	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.O.	DOOR OPENING	DOOR OPERATOR	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.H.	WALL HYDRANT				
A/C	AIR CONDITIONING	AIR CONDITIONING	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	DRN.	DRAIN	DRAIN	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	WP	WATERPROOF				
A.C.C.	AIR CONDITIONING COMPRESSOR	AIR CONDITIONING COMPRESSOR	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	DRN.	DRAIN	DRAIN	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	WT	WATER				
A.C.C.U.	AIR COOLED CONDENSING UNIT	AIR COOLED CONDENSING UNIT	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
CHAN. OR	AIR HANDLING UNIT	AIR HANDLING UNIT	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
AL	ALIGN	ALIGN	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
AL.T.	ALTERNATE	ALTERNATE	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
ALJUAL	ALUMINUM	ALUMINUM	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
ANCH.	ANCHOR	ANCHOR	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
A.B.	ANCHOR BOLT	ANCHOR BOLT	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
AND	AND	AND	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
ANG./L OR L	ANGLE	ANGLE	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
ANOD.	ANODIZED	ANODIZED	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
APT.	APARTMENT	APARTMENT	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
APPR.	APPROVED	APPROVED	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
APPROX.	APPROXIMATE	APPROXIMATE	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
ARCH.	ARCHITECT/ARCHITECTURAL	ARCHITECT/ARCHITECTURAL	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
A.T.M.	AUTOMATIC TELLER MACHINE	AUTOMATIC TELLER MACHINE	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
ASPH.	ASPHALT	ASPHALT	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
ASSY.	ASSEMBLY	ASSEMBLY	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
AT	AUTOMATIC	AUTOMATIC	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
AUX.	AUXILIARY	AUXILIARY	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.W.F.	WELDED WIRE FABRIC				
AVG.	AVERAGE	AVERAGE	CEM. PLAS.	CEMENT PLASTER	CEMENT PLASTER	D.T.C.	DRAIN TILE	DRAIN TILE	F.C.	FLOOR CLEANOUT	FLOOR CLEANOUT	FLR.	FLOOR	FLOOR CLEANOUT	M.S.B.	MAIN SWITCH BOARD	P.F.	POUNDS PER LINEAR FOOT	POR.	POROUS	W.P.	WATERPROOF				
B			D			F			H			L			N			R			T			Y		
B.B.	BACK TO BACK	BACK TO BACK	D	DAMP	DAMP	FAB	FABRICATED	FABRICATED	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
B.F.P.	BACK FLOW PREVENTER	BACK FLOW PREVENTER	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
B.D.D.	BACK DRAFT DAMPER	BACK DRAFT DAMPER	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
B.F.	BARRIER FREE	BARRIER FREE	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
B.B.R.	BASE BOARD RADIATION	BASE BOARD RADIATION	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
B. PL.	BASE PLATE	BASE PLATE	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BSMT.	BASEMENT	BASEMENT	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BM	BEAM	BEAM	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
B/C	BACK OF CURB	BACK OF CURB	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BRG	BEARING	BEARING	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
B.M.	BENCHMARK	BENCHMARK	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BT	BENT	BENT	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BETW.	BETWEEN	BETWEEN	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
REV.	REVERSE	REVERSE	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BIT.	BITUMINOUS	BITUMINOUS	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
B.I.	BLACK IRON	BLACK IRON	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BLK	BLACK	BLACK	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BLKG	BLOCKING	BLOCKING	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BD	BOARD	BOARD	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BLR	BOILER	BOILER	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BLK SH.	BOOK SHELVES	BOOK SHELVES	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BOT.	BOTTOM	BOTTOM	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BOT. EL.	BOTTOM ELEVATION	BOTTOM ELEVATION	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BLVD.	BOULEVARD	BOULEVARD	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BDRY	BOUNDARY	BOUNDARY	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BRKT	BRACKET	BRACKET	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BTU	BRITISH THERMAL UNIT	BRITISH THERMAL UNIT	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BLDS	BUILDING	BUILDING	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
B.U.R.	BUILT UP ROOFING	BUILT UP ROOFING	D	DAMP	DAMP	F.F.F.	FINISHED FINISH	FINISHED FINISH	H.C.	HANDICAPPED	HANDICAPPED	L.B.L.	LABEL	LABEL	N	NOMINAL	N	NOMINAL	R	RISER	T	TACKBOARD	Y	YARD		
BUZZ	Buzzer	Buzzer	D	DAMP																						

GENERAL NOTES:

- G1. DO NOT SCALE DRAWING. DRAWING SCALE IS SHOWN FOR GENERAL REFERENCE ONLY.
- G2. FIELD VERIFY ALL EXISTING CONDITIONS BEFORE COMMENCING ON WORK.
- G3. PROTECT ALL EXISTING ITEMS TO REMAIN FROM CONSTRUCTION OPERATIONS SO AS TO NOT CAUSE DAMAGE.
- G4. ALL AREAS DISTURBED OR DAMAGED BY CONSTRUCTION OPERATIONS SHALL BE PATCHED, REPAIRED, AND FINISHED BACK TO EXISTING CONDITION.
- G5. CONTRACTOR TO COORDINATE SITE ACCESS, BUILDING ACCESS, ETC. WITH OWNERS REPRESENTATIVE PRIOR TO COMMENCING ON THE WORK.
- G6. DISPOSE OF ALL ITEMS OFF SITE PER LOCAL BUILDING AND SAFETY ORDINANCES. ANY ITEM REQUESTED BY THE CITY OF PLYMOUTH TO BE SALVAGED SHALL BE RETURNED TO THE OWNER.
- G7. REFER TO ELEVATION REMOVAL SHEET(S) FOR FURTHER INFORMATION / CLARIFICATION OF ITEMS TO BE REMOVED.
- G8. REFER TO ROOF REMOVALS PLAN FOR FURTHER INFORMATION / CLARIFICATION OF ITEMS TO BE REMOVED.
- G9. INTENT IS FOR EXISTING DAMAGED LIMESTONE PIECES TO BE REPAIRED/REFINISHED. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS. FINAL DIRECTION TO BE BASED ON PROTOTYPE SAMPLE.
- G10. INTENT IS FOR ALL EXISTING LIMESTONE JOINTS TO BE TUCKPOINTED FOR A LIKE NEW APPEARANCE. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS AND DETERMINE QUANTITY OF JOINT (LF) TO BE TUCKPOINTED. CONTRACTOR TO INCLUDE A MINIMUM OF 500 LF OF JOINT TUCKPOINTING.
- G11. INTENT IS FOR ALL GRANITE CRYPT AND NICHE FRONTS FASTENING SYSTEMS TO BE REMOVED AND REPLACED WITH NEW CONCEALED FASTENER TYPE. CONTRACTOR TO PROVIDE SLOTTED GROOVES FOR MECHANICAL ATTACHMENT OF EXISTING SYTEM.
- G12. EXCEPT AS OTHERWISE NOTED ON NEW WORK PLAN(S), EXISTING GRANITE TO BE USED FOR PATCH/REPAIR.
- G13. ANY NEW GRANITE NICHE FRONTS TO HAVE NAMEPLATE AND VASE HOLDER HOLES DRILLED TO MATCH ADJACENT FRONTS.
- G14. CONTRACTOR RESPONSIBLE TO IDENTIFY AND LABEL ALL EXISTING GRANITE THAT IS BEING REINSTALLED IN THE SAME LOCATIONS TO ASSURE IT IS REINSTALLED IN THE SAME LOCATION. COORDINATE WITH CITY REPRESENTATIVES.
- G15. WHERE NEW GRANITE FRONTS ARE TO BE INSTALLED (EXCEPT REINSTALLED IN SAME LOCATION), CITY TO REMOVE AND REINSTALL EXISTING NAMEPLATE AND VASE HOLDERS.

REMOVAL NOTES:

- R1. EXISTING GRANITE CRYPT FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND RELOCATE / INSTALL IN PLACES WHERE MISSING, DAMAGED, OR DISCOLORED. UTILIZE NEW CONCEALED FASTENING SYSTEM.
- R2. EXISTING GRANITE NICHE FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND RELOCATE / INSTALL IN PLACES WHERE NICHE FRONTS ARE MISSING, DAMAGED, OR DISCOLORED. UTILIZE NEW CONCEALED FASTENING SYSTEM.
- R3. EXISTING GRANITE CRYPT FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND REINSTALL WITH NEW CONCEALED FASTENING SYSTEM.
- R4. EXISTING GRANITE NICHE FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND REINSTALL WITH NEW CONCEALED FASTENING SYSTEM.
- R5. EXISTING PRECAST CONCRETE SILL.
- R6. EXISTING LOUVER - PROPERLY PREPARE FOR PAINTING PER MANUFACTURER REQUIREMENTS. CONTRACTOR OPTION TO PREPARE LOUVER IN PLACE.
- R7. EXISTING CONCRETE SIDEWALK AND 4" OF EXISTING SUBGRADE.



1 Site Removals Plan
A1.10
Scale: 1/8"=1'-0"



Permits: 21 July 2026


Site Removals Plan



City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph.1)

Project No. 1326

A1.10



GENERAL NOTES:

- G1. DO NOT SCALE DRAWING. DRAWING SCALE IS SHOWN FOR GENERAL REFERENCE ONLY.
- G2. FIELD VERIFY ALL EXISTING CONDITIONS BEFORE COMMENCING ON WORK.
- G3. PROTECT ALL EXISTING ITEMS TO REMAIN FROM CONSTRUCTION OPERATIONS SO AS TO NOT CAUSE DAMAGE.
- G4. ALL AREAS DISTURBED OR DAMAGED BY CONSTRUCTION OPERATIONS SHALL BE PATCHED, REPAIRED, AND FINISHED BACK TO EXISTING CONDITION.
- G5. CONTRACTOR TO COORDINATE SITE ACCESS, BUILDING ACCESS, ETC. WITH OWNERS REPRESENTATIVE PRIOR TO COMMENCING ON THE WORK.
- G6. DISPOSE OF ALL ITEMS OFF SITE PER LOCAL BUILDING AND SAFETY ORDINANCES. ANY ITEM REQUESTED BY THE CITY OF PLYMOUTH TO BE SALVAGED SHALL BE RETURNED TO THE OWNER.
- G7. REFER TO ELEVATION REMOVAL SHEET(S) FOR FURTHER INFORMATION / CLARIFICATION OF ITEMS TO BE REMOVED.
- G8. REFER TO ROOF REMOVALS PLAN FOR FURTHER INFORMATION / CLARIFICATION OF ITEMS TO BE REMOVED.
- G9. INTENT IS FOR EXISTING DAMAGED LIMESTONE PIECES TO BE REPAIRED/REFINISHED. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS. FINAL DIRECTION TO BE BASED ON PROTOTYPE SAMPLE.
- G10. INTENT IS FOR ALL EXISTING LIMESTONE JOINTS TO BE TUCKPOINTED FOR A LIKE NEW APPEARANCE. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS AND DETERMINE QUANTITY OF JOINT (LF) TO BE TUCKPOINTED. CONTRACTOR TO INCLUDE A MINIMUM OF 500 LF OF JOINT TUCKPOINTING.
- G11. INTENT IS FOR ALL GRANITE CRYPT AND NICHE FRONTS FASTENING SYSTEMS TO BE REMOVED AND REPLACED WITH NEW CONCEALED FASTENER TYPE. CONTRACTOR TO PROVIDE SLOTTED GROOVES FOR MECHANICAL ATTACHMENT OF EXISTING SYSTEM.
- G12. EXCEPT AS OTHERWISE NOTED ON NEW WORK PLAN(S), EXISTING GRANITE TO BE USED FOR PATCH/REPAIR.
- G13. ANY NEW GRANITE NICHE FRONTS TO HAVE NAMEPLATE AND VASE HOLDER HOLES DRILLED TO MATCH ADJACENT FRONTS.
- G14. CONTRACTOR RESPONSIBLE TO IDENTIFY AND LABEL ALL EXISTING GRANITE THAT IS BEING REINSTALLED IN THE SAME LOCATIONS TO ASSURE IT IS REINSTALLED IN THE SAME LOCATION. COORDINATE WITH CITY REPRESENTATIVES.
- G15. WHERE NEW GRANITE FRONTS ARE TO BE INSTALLED [EXCEPT REINSTALLED IN SAME LOCATION], CITY TO REMOVE AND REINSTALL EXISTING NAMEPLATE AND VASE HOLDERS.


REMOVAL NOTES:

- R1. EXISTING GRANITE CRYPT FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND RELOCATE / INSTALL IN PLACES WHERE MISSING, DAMAGED, OR DISCOLORED. UTILIZE NEW CONCEALED FASTENING SYSTEM.
- R2. EXISTING GRANITE NICHE FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND RELOCATE / INSTALL IN PLACES WHERE NICHE FRONTS ARE MISSING, DAMAGED, OR DISCOLORED. UTILIZE NEW CONCEALED FASTENING SYSTEM.
- R3. EXISTING GRANITE CRYPT FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND REINSTALL WITH NEW CONCEALED FASTENING SYSTEM.
- R4. EXISTING GRANITE NICHE FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND REINSTALL WITH NEW CONCEALED FASTENING SYSTEM.
- R5. EXISTING PRECAST CONCRETE SILL.
- R6. EXISTING LOUVER - PROPERLY PREPARE FOR PAINTING PER MANUFACTURER REQUIREMENTS.

EXISTING TO REMAIN:

- E1. LIMESTONE COPING.
- E2. FOUNDATION BELOW.

LEGEND:



Permits: 21 July 2026


Elevation Removals Units A & B

City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph.1)

Project No. 1326

A1.11

801 W. Big Beaver Road, Suite 250, Troy MI 48064 | 248.244.9710
© Ehresman Architects 2026



GENERAL NOTES:

- G1. DO NOT SCALE DRAWING. DRAWING SCALE IS SHOWN FOR GENERAL REFERENCE ONLY.
- G2. FIELD VERIFY ALL EXISTING CONDITIONS BEFORE COMMENCING ON WORK.
- G3. PROTECT ALL EXISTING ITEMS TO REMAIN FROM CONSTRUCTION OPERATIONS SO AS TO NOT CAUSE DAMAGE.
- G4. ALL AREAS DISTURBED OR DAMAGED BY CONSTRUCTION OPERATIONS SHALL BE PATCHED, REPAIRED, AND FINISHED BACK TO EXISTING CONDITION.
- G5. CONTRACTOR TO COORDINATE SITE ACCESS, BUILDING ACCESS, ETC. WITH OWNERS REPRESENTATIVE PRIOR TO COMMENCING ON THE WORK.
- G6. DISPOSE OF ALL ITEMS OFF SITE PER LOCAL BUILDING AND SAFETY ORDINANCES. ANY ITEM REQUESTED BY THE CITY OF PLYMOUTH TO BE SALVAGED SHALL BE RETURNED TO THE OWNER.
- G7. REFER TO ELEVATION REMOVAL SHEET(S) FOR FURTHER INFORMATION / CLARIFICATION OF ITEMS TO BE REMOVED.
- G8. REFER TO ROOF REMOVALS PLAN FOR FURTHER INFORMATION / CLARIFICATION OF ITEMS TO BE REMOVED.
- G9. INTENT IS FOR EXISTING DAMAGED LIMESTONE PIECES TO BE REPAIRED/REFINISHED. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS. FINAL DIRECTION TO BE BASED ON PROTOTYPE SAMPLE.
- G10. INTENT IS FOR ALL EXISTING LIMESTONE JOINTS TO BE TUCKPOINTED FOR A LIKE NEW APPEARANCE. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS AND DETERMINE QUANTITY OF JOINT (LF) TO BE TUCKPOINTED. CONTRACTOR TO INCLUDE A MINIMUM OF 500 LF OF JOINT TUCKPOINTING.
- G11. INTENT IS FOR ALL GRANITE CRYPT AND NICHE FRONTS FASTENING SYSTEMS TO BE REMOVED AND REPLACED WITH NEW CONCEALED FASTENER TYPE. CONTRACTOR TO PROVIDE SLOTTED GROOVES FOR MECHANICAL ATTACHMENT OF EXISTING SYSTEM.
- G12. EXCEPT AS OTHERWISE NOTED ON NEW WORK PLAN(S), EXISTING GRANITE TO BE USED FOR PATCH/REPAIR.
- G13. ANY NEW GRANITE NICHE FRONTS TO HAVE NAMEPLATE AND VASE HOLDER HOLES DRILLED TO MATCH ADJACENT FRONTS.
- G14. CONTRACTOR RESPONSIBLE TO IDENTIFY AND LABEL ALL EXISTING GRANITE THAT IS BEING REINSTALLED IN THE SAME LOCATIONS TO ASSURE IT IS REINSTALLED IN THE SAME LOCATION. COORDINATE WITH CITY REPRESENTATIVES.
- G15. WHERE NEW GRANITE FRONTS ARE TO BE INSTALLED [EXCEPT REINSTALLED IN SAME LOCATION], CITY TO REMOVE AND REINSTALL EXISTING NAMEPLATE AND VASE HOLDERS.


REMOVAL NOTES:

- R1. EXISTING GRANITE CRYPT FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND RELOCATE / INSTALL IN PLACES WHERE MISSING, DAMAGED, OR DISCOLORED. UTILIZE NEW CONCEALED FASTENING SYSTEM.
- R2. EXISTING GRANITE NICHE FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND RELOCATE / INSTALL IN PLACES WHERE NICHE FRONTS ARE MISSING, DAMAGED, OR DISCOLORED. UTILIZE NEW CONCEALED FASTENING SYSTEM.
- R3. EXISTING GRANITE CRYPT FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND REINSTALL WITH NEW CONCEALED FASTENING SYSTEM.
- R4. EXISTING GRANITE NICHE FRONT AND FASTENING SYSTEM COMPLETE. CONTRACTOR TO SALVAGE GRANITE AND REINSTALL WITH NEW CONCEALED FASTENING SYSTEM.
- R5. EXISTING PRECAST CONCRETE SILL.
- R6. EXISTING LOUVER - PROPERLY PREPARE FOR PAINTING PER MANUFACTURER REQUIREMENTS.

EXISTING TO REMAIN:

- E1. LIMESTONE COPING.
- E2. FOUNDATION BELOW.

LEGEND:



Permits: 21 July 2026


Elevation Removals Units C & D

EHRESMAN ARCHITECTS ehresmanarchitects.com

City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph.1)

Project No. 1326

A1.12



1 Roof Removals Plan
A1.50 Scale: 1/8"=1'-0"

GENERAL NOTES:

- G1. DO NOT SCALE DRAWING. DRAWING SCALE IS SHOWN FOR GENERAL REFERENCE ONLY.
- G2. FIELD VERIFY ALL DIMENSIONS, ROOF SUMP LOCATIONS, EQUIPMENT CURBS, ETC. PRIOR TO COMMENCING WITH CONSTRUCTION OPERATIONS.
- G3. THE ROOFING SHALL BE A TWENTY-FIVE (25) YEAR MANUF. ROOFING SYSTEM WARRANTY ALONG WITH A FIVE (5) YEAR LABOR WARRANTY. EDGE METAL TO BE INCLUDED IN FULL SYSTEM WARRANTY
- G4. REFER TO ROOF DETAILS AND MANUFACTURER'S STANDARD DETAILS FOR ADDITIONAL INFORMATION.
- G5. EXISTING ROOF DECK THICKNESS AND SLOPE IS UNKNOWN, CONTRACTOR TO VERIFY AFTER THE ROOFING HAS BEEN REMOVED AND REPORT ANY DISCREPANCIES THAT MAY BE DISCOVERED TO THE ARCHITECT / ROOFING SYSTEM REPRESENTATIVE FOR FURTHER DIRECTION.
- G6. REMOVE EXISTING ROOFING SYSTEMS COMPETE DOWN TO EXISTING ROOF DECK.
- G7. CONTRACTOR TO VISIT THE SITE AND VERIFY ALL MEASUREMENTS, CONDITIONS, ETC., THAT MAY AFFECT THE SPECIFIED WARRANTY.
- G8. REPLACEMENT OF THE ROOF SHALL BE DONE SO-AS TO NOT REMOVE ANY MORE OF THE ROOFING THAN CAN BE REPLACED IN A GIVEN DAY. AT NO TIME SHALL THE ROOF BE LEFT OPEN AND SUBJECT TO WEATHER CONDITIONS. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE THAT OCCURS.
- G9. CONTRACTOR TO ASSURE THAT ALL ROOF DRAINS ARE IN PROPER WORKING CONDITION PRIOR TO COMPLETING THE RE-ROOFING OPERATIONS. REPORT ANY DISCREPANCIES TO THE OWNER / ARCHITECT FOR FURTHER DIRECTION.
- G10. AN ON-SITE PRE-CONSTRUCTION MEETING WITH THE ARCHITECT, ROOFING SYSTEM REPRESENTATIVE, OWNER, AND CONTRACTOR SHALL BE CONDUCTED PRIOR TO THE START OF CONSTRUCTION AND PRIOR TO ORDERING OF MATERIAL. REFER TO SPECIFICATIONS FOR FURTHER INFORMATION.

REMOVAL NOTES:

- R1. EXISTING ROOFING SYSTEM COMPLETE INCLUDING COUNTER FLASHINGS, BASE FLASHINGS, ROOFING, INSULATION BOARD, ETC. DOWN TO EXSTING CONCRETE ROOF DECK.

EXISTING TO REMAIN:

- E1. MAUSOLEUM ROOF (NO WORK).
- E2. ROOFING SYSTEM (NO WORK).
- E3. VENT PIPE-E.C.U. (C.F.V.)
- E4. ROOF DRAIN-E.C.U. (C.F.V.)
- E5. LIMESTONE COPING



Permits: 21 July 2026


Roof Removals Plan



City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph.1)

Project No. 1326

A1.50




GENERAL NOTES:


01. DO NOT SCALE DRAWING. DRAWING SCALE IS SHOWN FOR GENERAL REFERENCE ONLY.
02. FIELD VERIFY ALL EXISTING CONDITIONS BEFORE COMMENCING ON WORK.
03. PROTECT ALL EXISTING ITEMS TO REMAIN FROM CONSTRUCTION OPERATIONS SO AS TO NOT CAUSE DAMAGE.
04. ALL AREAS DISTURBED OR DAMAGED BY CONSTRUCTION OPERATIONS SHALL BE PATCHED, REPAIRED, AND FINISHED BACK TO EXISTING CONDITION.
05. CONTRACTOR TO COORDINATE SITE ACCESS, BUILDING ACCESS, ETC. WITH OWNERS REPRESENTATIVE PRIOR TO COMMENCING ON THE WORK.
06. DISPOSE OF ALL ITEMS OFF SITE PER LOCAL BUILDING AND SAFETY ORDINANCES. ANY ITEM REQUESTED BY THE CITY OF PLYMOUTH TO BE SALVAGED SHALL BE RETURNED TO THE OWNER.
07. REFER TO ELEVATION REMOVAL SHEET(S) FOR FURTHER INFORMATION / CLARIFICATION OF ITEMS TO BE REMOVED.
08. REFER TO ROOF REMOVALS PLAN FOR FURTHER INFORMATION / CLARIFICATION OF ITEMS TO BE REMOVED.
09. INTENT IS FOR EXISTING DAMAGED LIMESTONE PIECES TO BE REPAIRED/REFINISHED. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS. FINAL DIRECTION TO BE BASED ON PROTOTYPE SAMPLE.
10. INTENT IS FOR ALL EXISTING LIMESTONE JOINTS TO BE TUCKPOINTED FOR A LIKE NEW APPEARANCE. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS AND DETERMINE QUANTITY OF JOINT (LFT) TO BE TUCKPOINTED. CONTRACTOR TO INCLUDE A MINIMUM OF 500 LF OF JOINT TUCKPOINTING.
11. INTENT IS FOR ALL GRANITE CRYPT AND NICHE FRONTS FASTENING SYSTEMS TO BE REMOVED AND REPLACED WITH NEW CONCEALED FASTENER TYPE. CONTRACTOR TO PROVIDE SLOTTED GROOVES FOR MECHANICAL ATTACHMENT OF EXISTING SYSTEM.
12. EXCEPT AS OTHERWISE NOTED ON NEW WORK PLAN(S), EXISTING GRANITE TO BE USED FOR PATCH/REPAIR.
13. ANY NEW GRANITE NICHE FRONTS TO HAVE NAMEPLATE AND VASE HOLDER HOLES DRILLED TO MATCH ADJACENT FRONTS.
14. CONTRACTOR RESPONSIBLE TO IDENTIFY AND LABEL ALL EXISTING GRANITE THAT IS BEING REINSTALLED IN THE SAME LOCATIONS TO ASSURE IT IS REINSTALLED IN THE SAME LOCATION. COORDINATE WITH CITY REPRESENTATIVES.
15. WHERE NEW GRANITE FRONTS ARE TO BE INSTALLED (EXCEPT REINSTALLED IN SAME LOCATION), CITY TO REMOVE AND REINSTALL EXISTING NAMEPLATE AND VASE HOLDERS.
16. NEW GRANITE NICHE FRONTS COVER FOUR (4) NICHEs AND ARE TO BE GROOVED TO MATCH EXISTING.

DRAWING NOTES:

1. INSTALL SALVAGED GRANITE CRYPT FRONT WITH NEW CONCEALED MECHANICAL FASTENING SYSTEM. MATCH ADJACENT HORIZONTAL COLOR. CONTRACTOR TO UTILIZE SALVAGED GRANITE FOR ALL MISSING LOCATIONS.
2. INSTALL SALVAGED GRANITE NICHE FRONT WITH NEW CONCEALED FASTENING SYSTEM. CONTRACTOR TO UTILIZE SALVAGED GRANITE FOR ALL MISSING LOCATIONS.
3. INSTALL OWNER PROVIDED BLACK GRANITE NICHE FRONT WITH CONCEALED FASTENING SYSTEM AND HOLES FOR NAMEPLATE AND VASE HOLDERS. CONTRACTOR TO CUT TO SIZE AND SCORE AS NECESSARY TO MATCH EXISTING.
4. CONTRACTOR TO INSTALL TEMPORARY CRYPT FRONT CLOSURE WALL WITH ARTIFICIAL VEGETATION.
5. INSTALL SEALANT AND FOAM BACKER ROD (AS REQUIRED TO SUIT CONDITIONS) AT EXISTING LOUVER JOINTS.
6. MASONRY/LIMESTONE SILL - REFER TO DETAIL. CONTRACTOR TO COORDINATE WITH GRANITE CRYPT FRONTS.
7. RESTORE/RESURFACE LIMESTONE WALL PANELS FOR A LIKE NEW APPEARANCE. FINAL DIRECTIONS TO BE BASED ON PROTOTYPE SAMPLE.
8. PROPERLY PREPARE AND PAINT EXISTING LOUVER AND REINSTALL. CONTRACTOR OPTION TO PREPARE AND PAINT IN PLACE.
9. TUCKPOINT EXISTING LIMESTONE JOINTS- CONTRACTOR TO REVIEW AND INCLUDE 500 LF OF JOINT RESTORATION.
10. PEA STONE INFILL AT REMOVED SIDEWALK - TOP TO BE FLUSH WITH EXISTING SIDEWALK.

LEGEND:

-  INDICATES PEA STONE MAINTENANCE STRIP MATERIAL



1 Site Plan
A2.10 Scale: 1/8"=1'-0"



Permits: 21 July 2026



City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph.1)

Project No. 1326

A2.10


801 W. Big Beaver Road, Suite 250, Troy MI 48068 | 248.244.9710
© Ehresman Architects 2026

GENERAL NOTES:

01. DO NOT SCALE DRAWING. DRAWING SCALE IS SHOWN FOR GENERAL REFERENCE ONLY.
02. FIELD VERIFY ALL DIMENSIONS, ROOF SUMP LOCATIONS, EQUIPMENT CURBS, ETC. PRIOR TO COMMENCING WITH CONSTRUCTION OPERATIONS.
03. THE ROOFING SHALL BE A TWENTY (20) YEAR MANUF. ROOFING SYSTEM WARRANTY ALONG WITH A FIVE (5) YEAR LABOR WARRANTY. EDGE METAL TO BE INCLUDED IN FULL SYSTEM WARRANTY.
04. REFER TO ROOF DETAILS AND MANUFACTURER'S STANDARD DETAILS FOR ADDITIONAL INFORMATION.
05. EXISTING ROOF DECK THICKNESS AND SLOPE IS UNKNOWN, CONTRACTOR TO VERIFY AFTER THE ROOFING HAS BEEN REMOVED AND REPORT ANY DISCREPANCIES THAT MAY BE DISCOVERED TO THE ARCHITECT / ROOFING SYSTEM REPRESENTATIVE FOR FURTHER DIRECTION.
06. EXISTING EQUIPMENT, PENETRATIONS, ROOF DRAINS, CURBS, ETC. IDENTIFIED SHALL BE FIELD VERIFIED BY THE CONTRACTOR WHOM WILL BE RESPONSIBLE FOR THE QUANTITIES, CONDITIONS, HEIGHTS, ETC.
07. NEW EDGE FLASHING (PARAPET) MATERIAL IS TO BE FIELD VERIFIED WITH EXISTING WALL CONDITIONS.
08. CONTRACTOR TO VISIT THE SITE AND VERIFY ALL MEASUREMENTS, CONDITIONS, ETC. THAT MAY AFFECT THE SPECIFIED WARRANTY.
09. REPLACEMENT OF THE ROOF SHALL BE DONE SO-AS TO NOT REMOVE ANY MORE OF THE ROOFING THAN CAN BE REPLACED IN A GIVEN DAY. AT NO TIME SHALL THE ROOF BE LEFT OPEN AND SUBJECT TO WEATHER CONDITIONS. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE THAT OCCURS.
010. CONTRACTOR TO ASSURE THAT ALL ROOF DRAINS ARE IN PROPER WORKING CONDITION PRIOR TO COMPLETING THE RE-ROOFING OPERATIONS. REPORT ANY DISCREPANCIES TO THE OWNER / ARCHITECT FOR FURTHER DIRECTION.
011. AN ON-SITE PRE-CONSTRUCTION MEETING WITH THE ARCHITECT, ROOFING SYSTEM REPRESENTATIVE, OWNER, AND CONTRACTOR SHALL BE CONDUCTED PRIOR TO THE START OF CONSTRUCTION AND PRIOR TO ORDERING OF MATERIAL. REFER TO SPECIFICATIONS FOR FURTHER INFORMATION.
012. DRAINAGE SADDLES TO SLOPE $\frac{1}{4}$ " PER FOOT UNLESS NOTED OTHERWISE. CONTRACTOR TO ASSURE POSITIVE DRAINAGE TO ROOF DRAINS.

DRAWING NOTES:

1. PLUMBING VENT BOOT FLASHING (AND EXTENSION WHERE REQUIRED - C.F.V.)
2. EXISTING ROOF SUMP - CONTRACTOR TO ASSURE POSITIVE DRAINAGE TO ALL LOCATIONS.
3. ROOFING SYSTEM COMPOSITION:
 - 60-MIL FULLY ADHERED EPDM ROOFING MEMBRANE (WITH 20-YEAR DETAILS) CARRIED UP AND OVER COPING
 - ADHESIVE APPLIED TAPER INSULATION $\frac{1}{4}$ " TAPER START
 - EXISTING CONCRETE ROOF DECK
4. PREFINISHED METAL FASCIA CORNICE FASTENED TO EXISTING LIMESTONE COPING . REFER TO DETAILS. FOR FURTHER INFORMATION.



1 Roof Plan
A2.50 Scale: 1/8"=1'-0"



Permits: 21 July 2026


Roof Plan




City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph.1)

Project No. 1326

A2.50





GENERAL NOTES:

- G1. DO NOT SCALE DRAWING. DRAWING SCALE IS SHOWN FOR GENERAL REFERENCE ONLY.
- G2. FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO COMMENCING ON THE WORK.
- G3. PROTECT ALL EXISTING ITEMS TO REMAIN FROM CONSTRUCTION OPERATIONS SO AS TO NOT CAUSE DAMAGE.
- G4. ALL AREAS DISTURBED OR DAMAGED BY CONSTRUCTION OPERATIONS SHALL BE PATCHED, REPAIRED, AND FINISHED BACK TO EXISTING CONDITION.
- G5. CONTRACTOR TO COORDINATE SITE ACCESS, CONSTRUCTION ACCESS, ETC. WITH THE OWNER'S REPRESENTATIVE PRIOR TO COMMENCING ON THE WORK.
- G6. CONTRACTOR TO BECOME FAMILIAR WITH THE EXISTING SITE CONDITIONS INCLUDING BUT NOT LIMITED TO ROOF ACCESS, CRYPT CONSTRUCTION, ETC.
- G7. REFER TO ELEVATIONS SHEET FOR FURTHER INFORMATION / CLARIFICATION.
- G8. REFER TO ROOF PLAN FOR FURTHER INFORMATION / CLARIFICATION.
- G9. INTENT IS FOR ALL DAMAGED LIMESTONE PIECES TO BE REMOVED AND REPLACED. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS.
- G10. INTENT IS FOR ALL EXISTING LIMESTONE JOINTS TO BE TUCKPOINTED FOR A LIKE-NEW APPEARANCE. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS AND DETERMINE QUANTITY OF JOINTS (LF) TO BE TUCKPOINTED.
- G11. INTENT IS FOR ALL GRANITE CRYPT AND NICHE FRONTS FASTENING SYSTEM TO BE REPLACED WITH NEW EXPOSED FASTENER TYPE.
- G12. CONTRACTOR TO SALVAGE EXISTING GRANITE CRYPT FRONTS TO THE EXTENT POSSIBLE AND RELOCATE / INSTALL IN AREAS MISSING.

DRAWING NOTES:

- 1. REINSTALL GRANITE CRYPT FRONT WITH NEW CONCEALED FASTENING SYSTEM.
- 2. REINSTALL GRANITE NICHE FRONT WITH NEW CONCEALED FASTENING SYSTEM. CONTRACTOR TO NOTE GRANITE NICHE FRONT COVERS FOUR (4) NICHE.
- 3. INSTALL SALVAGED GRANITE CRYPT FRONT WITH NEW CONCEALED FASTENING SYSTEM. MATCH ADJACENT HORIZONTAL COLOR.
- 4. INSTALL SALVAGED GRANITE NICHE FRONT WITH NEW CONCEALED FASTENING SYSTEM. CONTRACTOR TO NOTE GRANITE NICHE FRONT COVERS FOUR (4) NICHE.
- 5. INSTALL OWNER PROVIDED BLACK GRANITE NICHE FRONT WITH CONCEALED FASTENING SYSTEM AND HOLES FOR NAMEPLATE AND VASE HOLDERS. CONTRACTOR TO CUT TO SIZE AND SCORE AS NECESSARY TO MATCH EXISTING.
- 6. CONTRACTOR TO INSTALL TEMPORARY CRYPT FRONT CLOSURE WALL WITH ARTIFICIAL VEGETATION.
- 7. INSTALL SEALANT AND FOAM BACKER ROD (AS REQUIRED TO SUIT CONDITIONS) AT EXISTING LOUVER JOINTS.
- 8. MASONRY/LIMESTONE SILL- REFER TO DETAIL. CONTRACTOR TO COORDINATE WITH GRANITE CRYPT FRONTS.
- 9. APPROXIMATE LINE OF CONCRETE ROOF DECK BEYOND.
- 10. RESTORE/ RESURFACE LIMESTONE WALL PANELS FOR A LIKE NEW APPEARANCE.
- 11. PREFINISHED METAL FASCIA CORNICE FASTENED TO EXISTING LIMESTONE COPING. INTENT IS TO COVER ENTIRE FACE OF LIMESTONE COPING. CONTRACTOR TO VERIFY FACE HEIGHT REQUIRED.
- 12. PROPERLY PREPARE AND PAINT EXISTING LOUVER AND REINSTALL. CONTRACTOR OPTION TO PREPARE AND PAINT IN PLACE.
- 13. TUCKPOINT EXISTING LIMESTONE JOINTS- CONTRACTOR TO REVIEW AND INCLUDE 500 LF OF JOINT RESTORATION.

LEGEND:

- INDICATES LOCATION OF MISSING ,DAMAGED, OR INCORRECT COLORED GRANITE FRONT THAT IS TO BE REPLACED. (DO NOT REINSTALL DAMAGED PIECE).



Permits: 21 July 2026


Exterior Elevations Units A & B




City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph. 1)

Project No. 1326


A3.10




8 Unit C West Elevation Removals
Scale: 1/4"=1'-0"




7 Unit C South Elevation Removals
Scale: 1/4"=1'-0"




6 Unit C East Elevation Removals
Scale: 1/4"=1'-0"




5 Unit C North Elevation
Scale: 1/4"=1'-0"




4 Unit D North Elevation
Scale: 1/4"=1'-0"



3 Unit D East Elevation
Scale: 1/4"=1'-0"



2 Unit D South Elevation Removals
Scale: 1/4"=1'-0"



1 Unit D West Elevation
Scale: 1/4"=1'-0"

GENERAL NOTES:

- DO NOT SCALE DRAWING. DRAWING SCALE IS SHOWN FOR GENERAL REFERENCE ONLY.
- FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO COMMENCING ON THE WORK.
- PROTECT ALL EXISTING ITEMS TO REMAIN FROM CONSTRUCTION OPERATIONS SO AS TO NOT CAUSE DAMAGE.
- ALL AREAS DISTURBED OR DAMAGED BY CONSTRUCTION OPERATIONS SHALL BE PATCHED, REPAIRED, AND FINISHED BACK TO EXISTING CONDITION.
- CONTRACTOR TO COORDINATE SITE ACCESS, CONSTRUCTION ACCESS, ETC. WITH THE OWNER'S REPRESENTATIVE PRIOR TO COMMENCING ON THE WORK.
- CONTRACTOR TO BECOME FAMILIAR WITH THE EXISTING SITE CONDITIONS INCLUDING BUT NOT LIMITED TO ROOF ACCESS, CRYPT CONSTRUCTION, ETC.
- REFER TO ELEVATIONS SHEET FOR FURTHER INFORMATION / CLARIFICATION.
- REFER TO ROOF PLAN FOR FURTHER INFORMATION / CLARIFICATION.
- INTENT IS FOR ALL DAMAGED LIMESTONE PIECES TO BE REMOVED AND REPLACED. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS.
- INTENT IS FOR ALL EXISTING LIMESTONE JOINTS TO BE TUCKPOINTED FOR A LIKE-NEW APPEARANCE. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS AND DETERMINE QUANTITY OF JOINTS (LF) TO BE TUCKPOINTED.
- INTENT IS FOR ALL GRANITE CRYPT AND NICHE FRONTS FASTENING SYSTEM TO BE REPLACED WITH NEW EXPOSED FASTENER TYPE.
- CONTRACTOR TO SALVAGE EXISTING GRANITE CRYPT FRONTS TO THE EXTENT POSSIBLE AND RELOCATE / INSTALL IN AREAS MISSING.

DRAWING NOTES:

- REINSTALL GRANITE CRYPT FRONT WITH NEW CONCEALED FASTENING SYSTEM.
- REINSTALL GRANITE NICHE FRONT WITH NEW CONCEALED FASTENING SYSTEM. CONTRACTOR TO NOTE GRANITE NICHE FRONT COVERS FOUR (4) NICHE.
- INSTALL SALVAGED GRANITE CRYPT FRONT WITH NEW CONCEALED FASTENING SYSTEM. MATCH ADJACENT HORIZONTAL COLOR.
- INSTALL SALVAGED GRANITE NICHE FRONT WITH NEW CONCEALED FASTENING SYSTEM. CONTRACTOR TO NOTE GRANITE NICHE FRONT COVERS FOUR (4) NICHE.
- INSTALL OWNER PROVIDED BLACK GRANITE NICHE FRONT WITH CONCEALED FASTENING SYSTEM AND HOLES FOR NAMEPLATE AND VASE HOLDERS. CONTRACTOR TO CUT TO SIZE AND SCORE AS NECESSARY TO MATCH EXISTING.
- CONTRACTOR TO INSTALL TEMPORARY CRYPT FRONT CLOSURE WALL WITH ARTIFICIAL VEGETATION.
- INSTALL SEALANT AND FOAM BACKER ROD (AS REQUIRED TO SUIT CONDITIONS) AT EXISTING LOUVER JOINTS.
- MASONRY/LIMESTONE SILL - REFER TO DETAIL. CONTRACTOR TO COORDINATE WITH GRANITE CRYPT FRONTS.
- APPROXIMATE LINE OF CONCRETE ROOF DECK BEYOND.
- RESTORE/ RESURFACE LIMESTONE WALL PANELS FOR A LIKE NEW APPEARANCE.
- PREFINISHED METAL FASCIA CORNICE FASTENED TO EXISTING LIMESTONE COPING. INTENT IS TO COVER ENTIRE FACE OF LIMESTONE COPING. CONTRACTOR TO VERIFY FACE HEIGHT REQUIRED.
- PROPERLY PREPARE AND PAINT EXISTING LOUVER AND REINSTALL. CONTRACTOR OPTION TO PREPARE AND PAINT IN PLACE.
- TUCKPOINT EXISTING LIMESTONE JOINTS- CONTRACTOR TO REVIEW AND INCLUDE 500 LF OF JOINT RESTORATION.

LEGEND:

- INDICATES LOCATION OF MISSING, DAMAGED, OR INCORRECT COLORED GRANITE FRONT THAT IS TO BE REPLACED. (DO NOT REINSTALL DAMAGED PIECE).



Permits: 21 July 2026

Exterior Elevations Units C & D



City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph. 1)

Project No. 1326


A3.11




22 Photo
A3.01 N.T.S.



21 Photo
A3.01 N.T.S.



20 Photo
A3.01 N.T.S.



19 Photo
A3.01 N.T.S.




18 Photo
A3.01 N.T.S.



17 Photo
A3.01 N.T.S.




16 Photo
A3.01 N.T.S.



Key Plan
N.T.S.



14 Photo
A3.01 N.T.S.



14 Photo
A3.01 N.T.S.




13 Photo
A3.01 N.T.S.




12 Photo
A3.01 N.T.S.




11 Photo
A3.01 N.T.S.




10 Photo
A3.01 N.T.S.



9 Photo
A3.01 N.T.S.



8 Photo
A3.01 N.T.S.



7 Photo
A3.01 N.T.S.



6 Photo
A3.01 N.T.S.



5 Photo
A3.01 N.T.S.



4 Photo
A3.01 N.T.S.



3 Photo
A3.01 N.T.S.



2 Photo
A3.01 N.T.S.



1 Photo
A3.01 N.T.S.



Permits: 21 July 2026

Representative Photos



City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph.1)

Project No. 1326

A3.20

GENERAL NOTES:



- G1. DO NOT SCALE DRAWING. DRAWING SCALE IS SHOWN FOR GENERAL REFERENCE ONLY.
- G2. FIELD VERIFY ALL EXISTING CONDITIONS BEFORE COMMENCING ON WORK.
- G3. PROTECT ALL EXISTING ITEMS TO REMAIN FROM CONSTRUCTION OPERATIONS SO AS TO NOT CAUSE DAMAGE.
- G4. ALL AREAS DISTURBED OR DAMAGED BY CONSTRUCTION OPERATIONS SHALL BE PATCHED, REPAIRED, AND FINISHED BACK TO EXISTING CONDITION.
- G5. CONTRACTOR TO COORDINATE SITE ACCESS, BUILDING ACCESS, ETC. WITH OWNERS REPRESENTATIVE PRIOR TO COMMENCING ON THE WORK.
- G6. DISPOSE OF ALL ITEMS OFF SITE PER LOCAL BUILDING AND SAFETY ORDINANCES. ANY ITEM REQUESTED BY THE CITY OF PLYMOUTH TO BE SALVAGE AND SHALL BE RETURNED TO THE OWNER.
- G7. REFER TO ROOF REMOVALS PLAN FOR FURTHER INFORMATION / CLARIFICATION OF ITEMS TO BE REMOVED.
- G8. INTENT IS FOR ALL EXISTING DAMAGED LIMESTONE PIECES TO BE REMOVED AND REPLACED. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS.
- G9. INTENT IS FOR ALL EXISTING LIMESTONE JOINTS TO BE TUCKPOINTED FOR A LIKE NEW APPEARANCE. CONTRACTOR TO FIELD VERIFY ALL EXISTING CONDITIONS AND DETERMINE QUANTITY OF JOINT (LF) TO BE TUCKPOINTED.
- G10. INTENT IS FOR ALL GRANITE CRYPT AND NICHE FRONTS FASTENING SYSTEMS TO BE REMOVED AND REPLACED WITH NEW EXPOSED FASTENER TYPE.
- G11. PREFINISHED METAL FASCIA CORNICE TO BE COMPLETE WITH CONCEALED CLIP ANCHORS (NO VISIBLE FASTENERS).

EXISTING TO REMAIN:

- E1. LIMESTONE COPING.
- E2. PRECAST CONCRETE CRYPTS
- E3. CONCRETE MASONRY UNIT FOUNDATION WALL - ECU.
- E4. CONCRETE ROOF STRUCTURE.
- E5. CONCRETE MASONRY UNIT PARAPET WALL.

DRAWING NOTES:

- 1. PREFINISHED METAL FASCIA CORNICE FASTENED TO EXISTING LIMESTONE COPING. INTENT IS TO COVER ENTIRE FACE OF LIMESTONE COPING. CONTRACTOR TO FIELD VERIFY REQUIRED HEIGHT.
- 2. 60 MIL EPDM ROOFING MEBRANE WRAP UP AND OVER FACE OF EXISTING LIMESTONE COPING.
- 3. RIGID INSULATION BOARD ADHERED TO BACK SIDE OF EXISTING MASONRY PARAPET WALL. INSTALL FLUSH WITH BACK EDGE OF LIMESTONE PARAPET CAP. CONTRACTOR TO FIELD VERIFY DEPTH REQUIRED.
- 4. GRANITE CRYPT FRONT WITH NEW CONCEALED FASTENING SYSTEM.
- 5. 8" x 8" (APPROXIMATE) LIMESTONE SILL. EPOXY STAINLESS STEEL DOWEL INTO EXISTING MASONRY FOUNDATION WALL. COORDINATE WITH INSTALL OF GRANITE CRYPT FRONTS.
- 6. RIGID ROOF INSULATION BOARD (1/2" TAPER START)
- 7. TUCKPOINT EXISTING LIMESTONE JOINTS - CONTRACTOR TO REVIEW AND INCLUDE 500 LF OF JOINT RESTORATION.
- 8. GROUT MASONRY BLOCK SOLID.
- 9. 3/8" X 1-1/2" PLASTIC WEEP VENT WITH INSECT SCREEN.
- 10. PEA STONE INFILL AT REMOVED SIDEWALK - TOP TO BE FLUSH WITH EXISTING SIDEWALK.



Permits: 21 July 2026

Wall Sections & Details



City of Plymouth
Riverside Cemetery
Columbarium & Mausoleum Improvements (Ph.1)

Project No. 1326

A9.00